

**DECO**   
EFFORTLESS, BEAUTIFUL LIVING



# CONTENTS

EFFORTLESS, BEAUTIFUL LIVING	2	ALUMINIUM SPLASHBACKS	32
ALUMINIUM BUILDING SYSTEMS	4	SIGNAGE APPLICATIONS	34
DECORATIVE ALUMINIUM FINISHES	6	DECOART - CUSTOM IMAGES	36
DECOWOOD - TIMBER-LOOK FINISH	8	DESIGNER FINISHES	38
SHADOWLINE & NARROWLINE	10	ARCHITECTURAL POWDER COATING	40
V-GROOVE, WEATHERBOARD & CROATIA BOARD	12	ANODISING AND HARD ANODISING	42
BATTENS	14	DUPLEX COATINGS	44
SCREENS, FENCES & GATES	20	QUALITY ASSURANCE	46
DECKING	22	SUSTAINABILITY & MEMBERSHIP	47
WINDOWS & DOORS	24	COMPLIANCE & FIRE SAFETY	48
LOUVRES & SHUTTERS	26	WHAT'S NEXT?	49
FLOORING	28	DECO INNOVATION CENTRE	50
FLAT SHEET CLADDING & WALL LININGS	30		



## EFFORTLESS, BEAUTIFUL LIVING

DECO specialises in a range of high quality, decorative aluminium finishes and products for effortless, beautiful living.

Since 2004, DECO has revolutionised the Australian building industry with our innovative sublimation finishing technology. Our ability to transform almost any piece of aluminium has provided beautiful and durable building solutions for an endless range of applications.

Our leading woodgrain finish DecoWood® has been offering Australians a range of low-maintenance timber-alternative products for over a decade, replicating a natural timber finish with an unrivalled choice of woodgrain finishes and colours.

DecoArt, DecoSplash® and DecoSign are our collection of custom finishes that offer a precise reproduction of images and designs for long-lasting decorative displays, kitchen splashbacks and signage solutions.

Today, DECO also specialises in the manufacturing of our own range of original aluminium buildings systems, all featuring our advanced finishing technology and designed for fast and easy installation. DECO aluminium building systems available include cladding, decking, battens, flooring, ceilings, fencing and splashbacks, as well as decorative and acoustic panelling.

DECO is a family-owned Australian business committed to delivering the highest standards of quality and service to our customers.

All products are available Australia-wide.



Left: Residential property in Lorne, Victoria  
V-Groove cladding in DecoWood® finish Weathered Timber

# ALUMINIUM BUILDING SYSTEMS

Strong, practical and aesthetically pleasing, DECO's solid aluminium building systems have been designed by leading industrial designers for maximum impact and minimum hassle. Each system comes complete with accessories for fast and easy installation. Our range of building systems include:



## DECO PRODUCTS ARE FIRE SAFE

Recent world events have seen a dramatic increase in the need for fire safe and non-combustible building materials in Australia.

All DECO building products, including our DecoClad® range, are made from solid aluminium. They are completely free of flammable polyethylene, glues and paints that are commonly used in composite products. Solid aluminium DECO products are finished with a layer of powder coating which will never ignite or burn.

In addition, all of our products have been fire tested and certified by the CSIRO as 'non-combustible', meaning that they fully comply with the requirements of Australian Building Standards and the National Construction Code (NCC) as a non-combustible building material.

By choosing DECO products, you can be confident that they will never ignite, burn or contribute to the spread of fire.

# ALUMINIUM - THE NEW AGE BUILDING MATERIAL

## ALUMINIUM IS ONE OF THE WORLD'S MOST FLEXIBLE & PRACTICAL BUILDING MATERIALS

As a new wave of design and environmental consciousness floods the architectural and building design industries, traditional building materials like brick and timber are giving way to aluminium's durability and versatility. Thanks to the metal's unique qualities, it has been responsible for bringing some of the most complicated modern-day designs to life, firmly establishing itself as one of the most usable building materials of the 21<sup>st</sup> century.

## THE BENEFITS OF BUILDING WITH ALUMINIUM



### DURABLE

Long lasting aluminium is the material of choice in the building industry where resistance to deterioration, corrosion and rotting is required.



### LIGHT & STRONG

Aluminium is one-third the weight of steel, meaning parts can be made thicker and stronger while still reducing weight for easy installation. It is also lighter, stronger and more durable than most timbers.



### NON-COMBUSTIBLE

Aluminium will not burn or ignite and is certified to comply with Australia's National Construction Code (NCC) as a non-combustible material.



### DIMENSIONALLY STABLE

Aluminium profiles and extrusions will always remain straight and will not twist or warp when exposed to the elements.



### SUSTAINABLE

Due to a low melting temperature, aluminium is economically and infinitely recyclable. Nearly 75% of all aluminium produced worldwide is still in use today.




### VARIETY

Aluminium comes in a wide range of shapes and sizes including custom-made profiles, offering solutions for even the most complex designs.

# SUBLIMATED ALUMINIUM FINISHES

DECO's innovative sublimation technology can accurately transfer any image or design into a special powder coated aluminium surface. The result is a durable, long-lasting finish that is marine grade, UV and chemical resistant and will never peel or rub off. Our range of sublimated finishes include:



## WHAT IS SUBLIMATION?

Sublimation is the process whereby a substance changes from a solid state directly into a gas without going through a liquid phase. DECO's sublimation technology uses controlled conditions of heat and pressure to transfer a printed image directly into a powder coated aluminium surface.

The sublimation inks penetrate the full depth of the powder coating (instead of simply being 'printed' on the surface's top layer) ensuring a durable, long-lasting finish.

Visit [deco.net.au](http://deco.net.au) for more details on our sublimation process.



ENJOY THE NATURAL BEAUTY OF TIMBER COMBINED WITH THE EASE & DURABILITY OF ALUMINIUM WITH DECOWOOD®.

An innovative woodgrain powder-coated finish, DecoWood® offers the form, feel and appearance of real timber on almost any piece of aluminium. With DecoWood®, it's easy to create the sense of warmth and style of timber, even when real wood simply won't work. Discover why DecoWood® is the ideal timber alternative for your building project.



### BEAUTIFUL

Achieve an elegant, natural timber appearance with the warmth and beauty of real wood.



### SUSTAINABLE

DecoWood® enables you to enjoy the natural beauty of timber without logging or using paints that contain harmful VOCs. DecoWood® aluminium is also fully recyclable.



### DURABLE

DecoWood® is a Super Durable™ powder coating and is 50% more durable than standard powder coating used in Australia.



### QUALITY

Made from the highest quality Super Durable™ powders and approved by Qualicoat – the international powder coating body – DecoWood® also undertakes a stringent, inhouse quality control process.



### EFFORTLESS

Not only is DecoWood® fast and easy to install, the low-maintenance finish never needs sanding, painting, staining or oiling.



### SELECTION

With over 150 woodgrain finishes and a wide range of textures, there is sure to be a finish to suit your project requirements. See our Colour Series on page 8.



### FIRE SAFE

Made from 100% non-combustible solid aluminium, DecoWood® is safe to use in fire prone areas or where building regulations require a non-combustible material.



### AUSTRALIAN

Rest assured that DecoWood® is made in Australia, providing you with confidence in the high-quality manufacturing and competitive lead times nationwide.



## DECOWOOD COLOUR SERIES

With over 150 DecoWood® woodgrain finishes available there is always a colour to match your project.

To help guide your colour selection, we have developed the exclusive DecoWood® Colour Series featuring a range of our favourite native, contemporary and exotic timber species. The series includes 30 natural woodgrain finishes that represent timbers from across the world.

If your preferred timber finish is not listed, contact us so we can colour match a finish to suit your project needs.

Scan the QR code to order a free DecoWood® sample.



Please note: Colours and finishes in this catalogue are a guide only and may vary from actual finish. Please request a sample to make your final selection.

### AUSTRALIAN NATIVE SPECIES



Tasmanian Oak



Snow Gum®



Coastal Spotted Gum



Silky Oak®



Casuarina®



Australian Cedar®



Bush Cherry®



Ironbark®



Blackbutt®



Jarrah

### EXOTIC TIMBER SPECIES



American Oak



Maple



Kwila®



French Oak



African Blackwood




Chestnut®



Teak®



Walnut Burl



Ebony



Golden Oak

### CONTEMPORARY TIMBER SPECIES



Antique White®



Curly Birch®



Weathered Timber®



Golden Gum



Smoked Ash



European Walnut



Western Red Cedar



Rose Mahogany



Wenge®



Dark Mocha

## DECOWOOD® FINISHES

### DECOWOOD® NATURAL “TEXTURED”

This Super Durable™ textured polyester powder coating replicates the natural look and feel of real timber. Ideal for outdoor applications, it's designed to withstand Australia's harshest environmental conditions.

### DECOWOOD® SMOOTH “GLOSS”

Polyurethane powder coating offers a gloss finish replicating the appearance of polished timber for internal applications. A low-sheen satin finish is also available on request.

### DECOWOOD® SLIP RESISTANT

The textured polyurethane powder coating contains particles of rubber for a non-slip finish for DecoDeck®, ideal for use around pools and spas.



**FIRE SAFE CLADDING**

**EXTRA LONG LENGTHS**

**EASY INSTALLATION**

# DECO CLAD SHADOWLINE & NARROWLINE



DecoClad's unique interlocking Shadowline and Narrowline cladding systems provide a contemporary recessed 'shadow' between each board. Made from solid aluminium and coated with Super Durable™ DecoWood®, DecoClad® is non-combustible and complies with Australian Building Standards.

## UNIQUE FEATURES

- Solid aluminium, non-combustible cladding
- Complies with Australia's National Construction Code (NCC)
- Ideal for exterior walls & façades
- Pre-punched fixing holes for fast & easy installation
- Long, straight 6.5 metre lengths
- Ideal for vertical or horizontal applications
- Rain Screen systems available
- Available in all DecoWood® colours & plain colours



PRODUCTS						
	Profile	Width*	Length	Wall Thickness	Profile Thickness	Profile Pattern^
Shadowline	200mm	6.5m	2mm	15mm		
Narrowline	135mm	6.5m	2mm	15mm		

\*Width refers to visible face only. ^Not to scale.

Left: McDonalds, Western Australia  
 DecoClad® Shadowline in DecoWood® Natural Casuarina  
 Right: Sarah Constructions  
 DecoClad® Narrowline cladding in DecoWood® Coastal Spotted Gum



Visit [deco.net.au](http://deco.net.au) for technical details and installation guides. 11



MARINE GRADE FINISH

MULTIPLE APPLICATIONS

FIRE SAFE CLADDING



# V-GROOVE, WEATHERBOARD & CROATIA BOARD



V-Groove is DecoClad's interlocking timber-look aluminium panelling, the perfect feature for internal and external ceilings and walls. DecoClad® profiles – Weatherboard and Croatia Board – offer a wider selection of cladding styles for use in alfresco areas, balconies, building façades, porticos and more.

## UNIQUE FEATURES

- Solid aluminium, non-combustible cladding
- Complies with Australia's National Construction Code (NCC)
- Designed for both internal & external applications
- Ideal for ceilings, walls, soffits & façades
- Pre-punched fixing holes for fast & easy installation
- Long, straight 6.5 metre lengths
- Ideal for vertical or horizontal applications
- Rain Screen systems available
- Available in all DecoWood® colours & plain colours

PRODUCTS						
	Profile	Width*	Length	Wall Thickness	Profile Thickness	Profile Pattern^
V-Groove	180mm	6.5m	2mm	15mm		
Weatherboard	180mm	6.5m	2mm	15mm		
Weatherboard	160mm	6.5m	2mm	15mm		
Croatia Board	130mm	6.5m	2mm	15mm		

\*Width refers to visible face only. ^Not to scale.

Left: DecoClad® V-Groove ceiling application in DecoWood® Western Red Cedar.  
 © Build Platinum/ Shootyou Photography  
 Right: Solis by Mosaic, Queensland  
 DecoClad® V-Groove in DecoWood® Coastal Spotted Gum



Visit [deco.net.au](http://deco.net.au) for technical details and installation guides. 13



LARGE RANGE OF SIZES

STRONG & LIGHT WEIGHT

CUSTOMISE YOUR DESIGN

# DECO BATTEN™ ONE-PIECE BATTENS


DecoBatten's square or rectangular aluminium profiles finished in DecoWood® can be used vertically or horizontally to add visual interest, texture and contemporary styling. DecoBatten™ allows you to choose your batten size, spacing and woodgrain finish.

## UNIQUE FEATURES

- Large range of one-piece batten sizes available
- Long, straight 6.5 metre lengths
- Use for screening, sunshades, fences or features
- Strong & light weight; ideal for high applications
- Limitless residential & commercial applications
- Fast & easy installation
- All DecoWood® colours available with colour-matched end caps

↔   ↑   ↙ ↘   ↔

COMMON SIZES	Width (A)	Depth (B)	Length	Wall Thickness (T)
	40mm	40mm	6.5m	1.6mm
	50mm	50mm	6.5m	1.6mm
	100mm	50mm	6.5m	1.6mm
	150mm	50mm	6.5m	3mm
	250mm	50mm	6.5m	3mm



\*Hundreds more sizes and wall thicknesses available. Contact us for details.



Left: The Peakhurst, New South Wales  
 DecoBatten™ 50 x 150mm in DecoWood® Natural American Oak  
 Right: Zephyr + Stone  
 DecoBatten™ 40 x 80mm in DecoWood® Natural Curly Birch



NEW DESIGNS OUT NOW

CONCEALED FIXTURES

USE ON WALLS & CEILINGS



## TWO-PIECE QUICKCLICK BATTENS



Featuring a range of shapes and sizes, including a sharp Angle and domed Radius batten cover, the two-piece system comes with a specially designed backing plate which allows for a seamless, concealed fixing option suitable for a range of applications including walls, ceilings and more. The new SpaceBase™ is part of DECO's 'QuickClick™' batten range and has been expertly designed to create a flawless finish between each batten. The extended base has been designed with 50mm spaced arms to provide perfect spacing between each batten – every time!

### UNIQUE FEATURES

- No fuss solution with concealed fixings
- NEW SpaceBase available - removes the need for preparing surfaces
- Ideal solution for walls & ceilings
- Limitless residential & commercial applications
- Available in plain, woodgrain, concrete & rust-look finishes
- Colour-matched end caps available

COMMON SIZES

Profile	Width (A)	Depth (B)	Length	Wall Thickness (T)
Rectangle	46mm	25mm	6.5m	1.6mm
Square	50mm	50mm	6.5m	1.6mm
Rectangle	76mm	25mm	6.5m	1.6mm
Rectangle	50mm	100mm	6.5m	2mm
Rectangle	50mm	150mm	6.5m	2mm
Angle	50mm	80mm	6.5m	1.6mm
Radius	50mm	80mm	6.5m	1.6mm

\*More sizes available. Contact us for details.

Left: Daniel Lomma Design, Western Australia  
 DecoBatten™ QuickClick™ 46 x 25mm batten in DecoWood® Natural Kwila © Silvertone Photography  
 Right: Anaconda Bennetts Green, New South Wales  
 DecoBatten™ QuickClick™ 50 x 100mm in DecoWood® Natural Golden Oak



Visit [deco.net.au](http://deco.net.au) for technical details and installation guides. 17



**STRONG & LIGHT WEIGHT**

**EASY TO INSTALL**

**NO VISIBLE FIXINGS**



## NEW QUICKCLICK 25MM DESIGNER SERIES

DecoBatten™'s new 25mm series may be small, but it is guaranteed to make an impact. From feature walls and ceilings to a reception showcase, the miniature 25mm aluminium DecoBatten™ designer series offers flexibility and freedom to create showstopping designs, no matter the project.

The new and innovative SpaceBase™ is now available in a 25 mm width. The SpaceBase™ provides precision spacing between each batten, every time, and eliminates the need for timely sheeting and painting.

### UNIQUE FEATURES

- Lightweight & do-it-yourself installation system
- No visible fixings - seamless finish
- NEW SpaceBase™ available - removes the need for preparing surfaces
- Suitable for commercial & residential applications
- Available in plain, woodgrain, concrete & rust-look finishes
- Colour-matched end caps available

AVAILABLE SIZES

Size	Length	Wall Thickness
25x25mm	6.5m	1.6mm
25x50mm	6.5m	1.6mm
25x75mm	6.5m	1.6mm



Left: Chris Clout Design & SX Constructions  
 DecoBatten™ QuickClick 25 x 50 mm batten in DecoWood® Natural Smoked Ash  
 Right: Oak & Orange  
 DecoBatten™ QuickClick 25 x 25 mm batten in DecoWood® Natural Smoked Casuarina



NO VISIBLE FIXINGS

WIDE RANGE OF SIZES

CUSTOM SPACING



## SCREENS, FENCES & GATES

Add a modern look to your home or building with DecoSlat™ – the multi-purpose aluminium slat system for privacy screens, fences and gates. This easy-to-install system allows for custom spacing between slats for extra security and privacy when needed. Finished in Super Durable™ DecoWood®, you'll never paint or stain a fence again!

### UNIQUE FEATURES

- Large range of slat sizes available
- Long, straight 6.5 metre lengths
- One-piece system or two-piece system for no visible fixings
- Choose from square or radius corner slats & posts
- Custom spacing between slats for personalised design
- Aluminium corner stakes available for mitre-cut gate frames
- All DecoWood® colours available with colour-matched end caps

↔   ↑   ↗   ↘   ↔

COMMON SIZES	Width (A)	Depth (B)	Length	Wall Thickness (T)	Corners
	38mm	16mm	6.5m	1.6mm	Radius
	50mm	10mm	6.5m	1.2mm	Square
	65mm	16mm	6.5m	1.2mm	Radius
	75mm	16mm	6.5m	1.5mm	Square
	90mm	16mm	6.5m	1.4mm	Radius

**Square**


**Radius**

\*More sizes and two-piece profiles available. Contact us for details.

Left: Drift by Mosaic, Queensland  
 DecoSlat® 65 x 16mm in DecoWood® Natural Weathered Timber  
 Right: Byron Bay Food Hub  
 DecoSlat® 90 x 16mm and 100 x 50mm in DecoWood® Natural American Oak



Visit [deco.net.au](http://deco.net.au) for technical details and installation guides. 21



SLIP-RESISTANT

PERFECT FOR POOLS

FLAME ZONE APPROVED

# DECO DECK ALUMINIUM DECKING



Enhance your outdoor living space with DecoDeck®, the aluminium decking system with the SuperDurable™ DecoWood® finish. DecoDeck® is strong, durable, low maintenance and looks just like natural timber. It's also approved for bushfire flame zone areas. The strong aluminium boards mean joists can be spaced up to 600 mm apart, and the one-of-a-kind deck joiner allows decking boards to be joined between joists, minimising wastage.

## UNIQUE FEATURES

- P4/R11 slip rating suitable for use around pools & spas
- Rot, decay & termite proof decking
- Black or colour-matched cover strips to enclose gaps
- Concealed 'clip system' for easy installation
- Comfortable to walk on, even under the hot sun
- Looks & feels like timber decking without the maintenance!
- 14 woodgrains & concrete-look finish available with colour-matched end caps



PRODUCTS


Profile	Width (A)	Height (B)	Length	Wall Thickness (T)
Narrow	94mm	25mm	6.5m	2mm
Wide	134mm	25mm	6.5m	2mm



Visit [deco.net.au](http://deco.net.au) for technical details and installation guides.

Left: Bayview Marina, Darwin  
 DecoDeck® in DecoWood® Slip Resistant Casuarina  
 Right: DecoDeck® in DecoWood® Slip Resistant Weathered Timber





NON-COMBUSTIBLE & FIRE SAFE

NO PAINTING OR STAINING

THERMAL EFFICIENCY

# DECO<sup>®</sup> WOOD WINDOWS & DOORS



Add a touch of class to your home with Super Durable™ DecoWood® windows and doors. No matter what style you choose, we can apply our natural timber finish to a wide range of aluminium windows and doors and offer our finish through Australia's leading window and door companies.

## UNIQUE FEATURES

- Non-combustible & bushfire safe
- Dimensionally stable; no warping & good insulation
- Easy to maintain; no painting or staining ever!
- Colour-matched aluminium insect or security screens available
- Marine grade woodgrain finish ideal for coastal applications
- Increase the value of your home
- Available in all DecoWood® colours
- Wide range of styles: bi-fold, double hung & sliding windows, French entry doors & more

## SUPPLIERS

DecoWood® finish is available on a wide range of window and door styles from all leading aluminium window and door suppliers. Visit [deco.net.au](http://deco.net.au) for your local supplier or call us on **02 9603 1888**.



Left: Comuna Cantina Restaurant, The Retail Designers  
DecoWood® Natural American Oak  
Right: Aluminium windows and doors in DecoWood® Natural Casuarina



LOW MAINTENANCE

MARINE GRADE FINISH

UV RESISTANT

# DECO<sup>®</sup> WOOD LOUVRES & SHUTTERS

Whether to control light or air flow, or to add a timeless feature to your home or building, DecoWood<sup>®</sup> aluminium louvres and shutters are the perfect timber alternative. Offering a timber look without the maintenance, louvres and shutters can be configured multiple ways to suit your application.

## UNIQUE FEATURES

- Large range of louvre blade sizes available
- Blades can be fixed or operable
- Turn your plantation shutter into a sliding panel
- Non-combustible & fire safe
- Marine grade finishing for outdoor applications
- High UV-resistant finishing
- No painting or staining - ever!
- Available in all DecoWood<sup>®</sup> colours

## SUPPLIERS

DecoWood<sup>®</sup> finish is available on a wide range of louvre and shutter styles from all leading aluminium louvre suppliers.

Visit [deco.net.au](http://deco.net.au) for your local supplier or call us on **02 9603 1888**.

Left: Kookai Pacific Fair, Gold Coast, Queensland  
Fixed Louvres in DecoWood<sup>®</sup> finish Curly Birch  
© Christopher Frederick Jones





LOW MAINTENANCE

EASY INSTALLATION

SEAMLESS FINISH



## ALUMINIUM FLOORING

Revolutionise the way you think about flooring with DecoFloor™. Strong, durable, easy to clean and simple to install, DecoFloor™ is the perfect flooring solution. Available in 25 stunning DecoWood® powder coat finishes, choose the perfect timber-look floorboard for your home, office or commercial project.

### UNIQUE FEATURES

- One-of-a-kind timber-look aluminium floorboards
- Seamless finish with concealed fixings
- Easy to install with simple self-mating & screw system
- Unaffected by water & termite attack
- P2 slip rating
- Australian designed & made

#### AVAILABLE SIZES

##### 120mm Board

Board coverage: 120mm

Board length: 5.4 metres\*


Board thickness: 11.5mm

##### 180mm Board

Board coverage: 180mm

Board length: 5.4 metres\*

Board thickness: 11.5mm



Left & Right: DecoFloor™ 120mm in DecoWood® Natural Curly Birch



NON-COMBUSTIBLE

CUSTOM SIZES & DESIGNS

INTERNAL & EXTERNAL USE



## FLAT SHEET CLADDING & WALL LININGS

DecoPanel's aluminium flat sheets offer a easy to install solution that is non-combustible and certified fire safe. Coated with DECO's Super Durable marine-grade powder, DecoPanel® is UV resistant and suitable for both residential and commercial projects.

### UNIQUE FEATURES

- Complies with Australia's National Construction Code
- Multiple install options for a range of applications
- Available in flat panels, perforations, shapes or custom folded designs
- Perfect solution for replacement cladding projects
- Range of sizes with a maximum sheet size of 3600 x 1500 mm

### PRODUCTS

DecoPanel® is available in custom sizes for a wide variety of applications. Contact our team on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au) to discuss your project.



Left: 1 Dension Street, North Sydney  
DecoPanel® flat sheets in DecoWood® custom finish  
© Bates Smart Architects  
Right: DecoPanel® flat sheets in DecoWood® custom finish  
© HAGTA





UNLIMITED DESIGN OPTIONS

USE AS A WATERPROOF LINING

DURABLE & LOW MAINTENANCE



## ALUMINIUM SPLASHBACKS



Forget tiles and glass, now you can create fun and life in your kitchen, bathroom, laundry or any other wet area with DecoSplash® splashbacks. Select from our creative design series or personalise your splashback with your own high-resolution photograph, image or design.

### UNIQUE FEATURES

- Perfect for kitchens, bathrooms & laundries
- Creative freedom: choose from our design series or use your own
- Strong, light weight & easy to install
- Secures directly onto most wall surfaces or over tiles
- Use as a wet area lining – no need to waterproof
- Safe to use behind all types of cook tops, including gas
- Complies to AS/NZS 5601 Gas Installation Code
- Hygienic & easy to clean; no grout!
- Absolute precision for images across multiple panels
- Available in large sheets for minimal joins
- Distributed nationally by Lincoln Sentry

### SIZES

DecoSplash® is available in a range of standard sizes from 600x1800mm to 1500x3600mm. Custom cut sizes are also available. Contact our team on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au) to discuss your project.



Left: DecoSplash® Blue Marble splashback  
Right: O'Shae & Son Builders DecoSplash® custom splashback in lift  
© Shoot to Sell





LOW MAINTENANCE

ANTI-GRAFFITI

UV RESISTANT

# DECO SIGN SIGNAGE APPLICATIONS

DecoSign® is a strong, durable and light weight signage solution boasting a range of unique features. The precise photo imaging process is ideal for accurate reproduction of colours, letters, maps, symbols and images, and the high-quality powder coating offers fade-resistant and anti-graffiti properties.

## UNIQUE FEATURES

- Special 'Class 2' UV-stable & durable finish
- Anti-graffiti polyurethane powder coating
- Any high-resolution design or graphic can be used
- Use images across multiple panels with ultimate precision
- Large panel sizes available in a range of thicknesses
- Laser cut shapes & attached fasteners available
- Fixing studs & returns can be incorporated
- Ideal for branding, wayfinding & directional signage

## SIZES

DecoSign® is available in a range of sizes and can be cut to size as required. Contact our team on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au) to discuss your project.



Left: DecoSign® Façade signage featuring 26 laser cut panels  
Right: Transport NSW seat signage



CREATIVE FREEDOM

PROFESSIONAL FINISH

HIGHLY DURABLE

# DECO<sup>®</sup> ART CUSTOM IMAGES

Utilising our photo imaging sublimation technology, DecoArt<sup>®</sup> allows you to accurately reproduce your chosen image, design or photograph onto almost any aluminium extrusion or shape, including flat or perforated sheets. The result is a durable finish ideal for a wide range of unique applications.

## UNIQUE FEATURES

- Hundreds of creative applications
- Photographic precision & colour fastness, even outdoors
- Use any high-resolution photo, design, pattern or logo
- Light weight aluminium is quick & easy to install
- Simply wipe clean using common household sprays
- Includes our DecoSplash<sup>®</sup> & DecoSign<sup>®</sup> range

## PRODUCTS

DECO works with Australia's leading aluminium suppliers and has access to hundreds of aluminium profiles and extrusions. We can assist you in sourcing the best materials to meet your specifications. Contact our team on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au) to discuss your project.



Left: South City Square, Brisbane, Queensland  
Elliptical louvre blades finished in a custom image  
Right: Custom Metal Imagery  
Table top finished in a custom image





HIGHLY DURABLE

NATURAL FINISHES

FLEXIBLE DESIGN SOLUTIONS



## DESIGNER FINISHES



Enjoy the luxury and elegance of marble, granite, rust and concrete with the exclusive DecoVogue™ collection. Turning the design industry on its head, this exciting collection of naturally inspired finishes offer the unique opportunity to use natural materials how they have never been used before; the opportunities are endless.



Morrocan Spice™



Edgy Auburn™



Earthy Ochre™



Desert Sand™



Light Concrete™



Charcoal Concrete™




Polished Concrete™



Classic Concrete™  
Slip Resistant \*

\*available for DecoDeck only



White Carrera™



Dark Marble™



Almond Marble™

Left: Better Built Homes Richmond Display Home  
Custom laser cut panels in Earthy Ochre™



HIGHLY DURABLE

QUALITY APPLICATION

WIDE RANGE OF COLOURS



## ARCHITECTURAL POWDER COATING



DecoCoat™ offers Super Durable Class 2 powder coating suitable for architectural projects as well as a range of other high-quality powders. Powders can be applied to a wide range of aluminium or steel extrusions and shapes as well as DECO's range of building products.

Our team can help you select your colour and powder type to ensure it is a suitable option for your residential or commercial project.

### UNIQUE FEATURES

- DecoCoat's Class 2 powders are 50% more durable than standard powder coating
- Wide range of colours & powder types from Australia's leading powder supplier
- DECO is an accredited Dulux & Interpon applicator
- Use for a range of internal & external applications
- Powder coating contains NO VOCs & creates almost no waste



Left: Edge Builders WA DecoBatten QuickClick™ 46 x 25mm in DecoCoat™ Matt Black  
Right: Opening Roof Specialists Opening Roof finished in DecoCoat™ Surf Mist



## ANODISING AND HARD ANODISING

For an attractive and highly durable finish, DecoUltra™ is the ideal range of anodised and hard anodised finishes to meet customer requirements. Choose from DecoUltra™ AD anodised finishes or DecoUltra™ ZD hard anodised finishes, offering a range of different micron thicknesses for unrivalled protection, durability and low maintenance for your project specifications and location.

DecoUltra™ is available in several different colours including clear, black and bronze, as well as in a variety of colours, gloss levels, thicknesses and sealing options to suit project needs. Different textures are also available, including brushing, etching, perforation and more. A versatile finish, it can be applied to flat sheets, extrusions, laser cut shapes, perforated panels and even to DECO's popular DecoClad® and DecoBatten® ranges.

### UNIQUE FEATURES

- High corrosion resistance
- Excellent finish for marine or high rise applications
- The coating becomes part of the metal itself & cannot chip or blister
- Suitable for interior or exterior applications
- Wide choice of anodised finishes available



Left: Brushed DecoUltra™ ZD in Ancient Bronze  
Right: DecoUltra™ Radiant Bronze, Burnished Bronze and Ancient Bronze finishes





## DUPLEX COATINGS


DECO has a unique capability to develop and apply multiple coating systems, to provide customers with custom surface finishing solutions for their requirements. An example of this capability is DECO's Nucotec™ Plus process, where DECO developed a unique coating system to be applied to low pressure cast aluminium blocks for the new Tai Kwun arts precinct in Hong Kong. The architect required a highly durable coating that had a metallic appearance for a contemporary architectural building façade.

DECO developed the Nucotec™ Plus process and built special equipment to enable this surface to be produced. The Nucotec™ Plus process involves a unique combination of an anodic coating combined with controlled E coating deposition which is impregnated with stainless steel flakes.

DECO has the capability to develop and apply numerous multiple coating systems that combine anodising, hard anodising, specialty coatings and powder coating, to meet the special requirements of our customers.

### BENEFITS

- Greater flexibility in design & specification
- Highly durable coatings with superior wear & corrosion resistance
- Unique coating systems with multiple properties
- Solutions available for architectural & building designs
- Specialty coating systems for aerospace & industrial applications



Left: Tai Kwun Arts Precinct, Hong Kong. Nucotec coating on cast aluminium blocks



# QUALITY ASSURANCE



## Qualicoat

Qualicoat is the international accreditation system for quality assurance in powder coating. It is the only specification for powder coating that mandates independent third-party inspection and testing.

To achieve Qualicoat accreditation there are 18 tests to measure performance and durability, including two key durability tests: External Weathering test (Florida test) and Acidic Salt Spray test. The Florida test measures the amount of change to colour and gloss of the powder coating to ensure they do not exceed Qualicoat's set allowable limits. The Acidic Salt Spray test is a harsh test that determines how well the powder coating is bonded to the aluminium.

**Qualicoat Class 2**  
is classified as Super Durable and all DECO finishes fully comply with this standard

**3 Years Florida Test**      **2,000 Hours Acidic Salt Spray Test**

**SUPER DURABLE RANGE**

**Qualicoat Class 1.5**  
is classified as externally durable and is the class generally used in Australia

**2 Years Florida Test**      **1,000 Hours Acidic Salt Spray Test**

**Qualicoat Class 1**  
is classified as suitable for use in interiors and mild exterior applications

**1 Year Florida Test**      **1,000 Hours Acidic Salt Spray Test**

## DECO Quality Standards

Super Durable™ DecoWood® is a marine grade finish that is 50% more durable than other standard powder coatings and woodgrain finishes used in Australia.

- DECO is a licensed QualiDeco decorator and Super Durable™ DecoWood® uses licensed Qualicoat applicators for base coating.
- DECO products and finishes fully comply with the Australian Standard for architectural powder coating AS 3715.
- DECO is an active member of Qualicoat and the Australasian Institute of Surface Finishing.
- DECO products are certified compliant with ISO 9001:2015.

## DECO Warranty

All DECO finishes carry a 12-year warranty in accordance with the Qualicoat accreditation and the Australian Standard for architectural powder coating AS 3715.

# SUSTAINABILITY

DecoWood® is a sustainable alternative for building products. Greater durability means less frequent replacement of products, and no painting or staining is easier for you and easier on the environment as it prevents harmful greenhouse gases (VOC's) being released into the atmosphere.

SUSTAINABILITY INDEX	DECOWOOD	TIMBER	PLASTIC COMPOSITES
No Logging of Trees	✓	X	X
No VOCs	✓	X	X
Recyclable Material	✓	?	X
Recycle Offcuts	✓	?	X
Durable - Long Life	✓	X	X
No PVC	✓	✓	X
Low Energy Recycle	✓	?	X

Major aluminium producing countries such as Canada and Norway use 100% renewable hydro power for the production of aluminium. Aluminium can be recycled many times, and requires little energy to do so.

Data from the International Aluminium Council shows that approximately 75% of all of the aluminium ever produced in the world is still in the system.

# MEMBERSHIPS

DECO actively works with a wide range of industry bodies and membership associations to ensure best practice and to support further advancements in our multiple industries, products and people.



## COMPLIANCE & FIRE SAFETY

All DECO products and finishes have been successfully tested by the CSIRO building research station to meet the following Australian Standards:



### National Construction Code (NCC)

CSIRO have certified that all DECO products tested by them comply with the National Construction Code NCC 2015, Volume 1, C1.12(e) as a non-combustible material.



### AS 1530.3

DECO products and materials are deemed non-combustible based on their ignition tendency, flame spread, heat development and tendency to produce smoke.



### AS 1530.1

DECO products and materials have been tested and certified as non-combustible.



### AS 3959

Most DECO products are deemed to comply to certain levels of the bushfire safety requirements (BAL) of building in a bushfire prone area.



### AS 3837 : Group 1

DECO products and materials are deemed non-combustible and non-flammable based on ignitability, heat release rates, mass loss, effective heat combustion and smoke release.



### AS 3715

DECO products and materials meet the performance requirements for thermoset powder coatings applied to aluminium intended for exterior architectural applications.



### AS 4586 : P4

DecoDeck® polyurethane slip-resistant powder coating is suitable for swimming pool surrounds.



### ISO 9001 Accreditation

DECO products are certified compliant with ISO 9001:2015.

For further compliance and certification information, contact us on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au).

## WHAT'S NEXT?

1

### ORDER A SAMPLE

Colours and finishes in this booklet are a guide only and may vary from the actual finish. Please request a sample to make your final decision.

To order a free DecoWood® colour swatch or product sample, please email [info@deco.net.au](mailto:info@deco.net.au).

2

### VISIT THE DECO INNOVATION CENTRE

Book an appointment with our showroom consultant and explore the full range of DECO's architectural products and finishes.



Alternatively, you can explore the innovation centre and its product displays online.

3

### DOWNLOAD PRODUCT INSTALLATION GUIDES

DECO's building systems are designed for easy and seamless installation for builders and trade. Visit [deco.net.au](http://deco.net.au) to download our product installation guides.

4

### HOW TO ORDER

If you would like to order products from the DECO range, simply select your product and finish and contact our friendly team on **02 9603 1888** or email [info@deco.net.au](mailto:info@deco.net.au).



## DECO INNOVATION CENTRE

The DECO Innovation Centre is the destination to visit when you want to bring your home or building design to life.

Explore our range of architectural products, see our beautiful finishes up close, discuss your project and receive expert advice from our dedicated team.



### BOOK A TEAM VISIT!

- CPD & PRODUCT PRESENTATIONS
- SHOWROOM & FACTORY TOURS
- CATERING PROVIDED

Get the team together and book a visit to the new DECO Innovation Centre.

Learn more about specifying our range of building products and go behind the scenes with a guided tour of the factory.

Email [marketing@deco.net.au](mailto:marketing@deco.net.au) for more information or to book a team presentation.



## CONTACT US

02 9603 1888  
info@deco.net.au  
deco.net.au

67-77 Airds Road,  
Minto NSW 2566